



Proformance Plus Series
TUFFSTUFF FITNESS INTERNATIONAL



performance performance

The **Performance Plus** commercial strength series by TUFFSTUFF FITNESS INTERNATIONAL combines 44 years of engineering excellence with modern visual styling to deliver a collection of equipment designed to exceed all expectations.

Striking design elements, superior biomechanics and modern aesthetics blend seamlessly to create a line of resistance equipment that embodies an only-the-best-will-do philosophy with **Made in the USA** quality.

When you're ready for high performance strength equipment that delivers professional results and exceeds your expectations, you're ready for **Performance Plus!**

SELECTORIZED SINGLE STATION

PPS-200	Chest Press	4
PPS-205	Shoulder Press	4
PPS-206	Biceps Curl	5
PPS-207	Seated Row	5
PPS-208	Low Row	6
PPS-210	Lat Pulldown	6
PPS-212	Tricep Press	7
PPS-213	Lateral Raise	7
PPS-215	Assisted Chin/Dip	8
PPS-232	Seated Leg Curl	8
PPS-231	Leg Extension	9
PPS-233	Prone Leg Curl	10
PPS-237	Multi-Hip Flexor	10
PPS-238	Standing Calf	11
PPS-239	Glute Machine	11
PPS-220	Abdominal Crunch	12
PPS-221	Back Extension	13
PPS-222	Rotary Torso	13

SELECTORIZED DUALS

PPD-801	Multi Press	15
PPD-802	Lat/Mid/Low Row	15
PPD-803	Pec Fly/Rear Delt	16
PPD-804	Biceps/Triceps	16
PPD-805	Abdominal/Back	17
PPD-806	Leg Extension/Curl	17
PPD-807	Inner/Outer Thigh	18
PPD-830	Leg Press/Hack Squat	18

FUNCTIONAL TRAINERS

PPMS-245	Functional Trainer	20
PPMS-240	Single Adj. Cable Column	21
PPMS-250	Adj. Cable Crossover	21
PPMS-255	Dual Adjustable Pulley	22

JUNGLE GYM SYSTEMS

PPMS-4000	4-Station	23
PPMS-9000	9-Station	24&25
PPMS-5000	5-Station	26
PPMS-6000	6-Station	27

PLATE LOADED

PPL-900	Smith Machine	29
PPL-905	Chest Press	29
PPL-910	Incline Press	30
PPL-915	Shoulder Press	30
PPL-920	Biceps Curl	31
PPL-925	Seated Dip	31
PPL-930	Seated Row	32
PPL-935	Lat Pulldown	32
PPL-940	Incline Lever Row	33
PPL-950	Prone Leg Curl	33
PPL-945	Leg Extension	34
PPL-955	Seated Calf	34
PPL-960	Leg Press	35
PPL-965	Hack Squat	36
PPL-970	Abdominal Crunch	37

FREE WEIGHT BENCHES & RACKS

PPF-700	Multi-Adjustable Bench	39
PPF-701	Flat/Incline Bench	39
PPF-702	Flat Bench	39
PPF-703	Utility Bench	39
PPF-705	Adjustable Incline Bench	39
PPF-706	Preacher Curl Bench	39
PPF-707	Olympic Flat Bench	40
PPF-708	Olympic Incline Bench	40
PPF-709	Olympic Decline Bench	40
PPF-710	Olympic Military Bench	40
PPF-711	4-Way Olympic Bench	41
PPF-714	Adjustable Decline Bench	41
PPF-718	Glute-Ham Bench	41
PPF-717	Back Station	42
PPF-720	Chin/Dip/Leg Raise	42
PPF-753	Barbell Rack	42
PPF-850	Squat Rack	42
PPF-800	Deluxe Power Rack	43
PPF-752	2-Tier	
	Saddle Dumbbell Rack	44
PPF-752T	2-Tier Tray Dumbbell Rack	44
PPF-754	3-Tier	
	Saddle Dumbbell Rack	44
PPF-754T	3-Tier Tray Dumbbell Rack	44
PPF-758	Olympic Plate Tree	44
	Customization	45
	Specifications & Features	46&47

SELECTORIZED SINGLE STATION



SELECTORIZED SINGLE STATION




PPS-200



CHEST PRESS

- Converging press arm technology.
- Unique floating handle design allows customization of wrist position during movement.
- Easy access gas assist seat adjustment.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 77 in/196 cm Wt: 570 lb/259 kg




PPS-205



SHOULDER PRESS

- Converging press arm technology.
- Unique floating handle design allows customization of wrist position during movement.
- Easy access gas assist seat adjustment.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm Wt: 525 lb/238 kg

SELECTORIZED SINGLE STATION




PPS-206



BICEPS CURL

- Multi-grip handle design allows for underhand or overhand grip positions.
- Pivot arm counter-balanced to 0 lb. at starting position.
- Easy access gas assist seat adjustment.
- Ergonomically designed arm rest for maximum support and comfort.
- 150 lbs. steel weight stack with add-on weight system.
(Option: 200 lbs. weight stack)



Ht: 57 in/145 cm Wt: 380 lb/172 kg




PPS-207



SEATED ROW

- 360° fully articulating open handles with 5/8" Teflon coated rod ends provide user defined path of motion.
- Easy access gas assist seat adjustment.
- Multi position gas assist chest support adjustment.
- 220 lbs. steel weight stack with add-on weight system.
(Option: 295 lbs. weight stack)



Ht: 57 in/145 cm Wt: 500 lb/227 kg

SELECTORIZED SINGLE STATION




PPS-208



LOW ROW

- Aluminum non-slip diamond foot plates.
- Extra wide bench pad provides maximum support and stability.
- Ergonomic bench angle allows full low back stretch.
- Note: Cable driven unit.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 76 in/193 cm Wt: 470 lb/213 kg




PPS-210



LAT PULLDOWN

- Adjustable thigh hold-down pads provide stability and firm support during workouts.
- Swivel lat bar attachment with locking spring hook provides reliable and safe performance.
- Note: Cable driven unit.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 89 in/226 cm Wt: 465 lb/211 kg

SELECTORIZED SINGLE STATION




PPS-212



TRICEP PRESS

- Biomechanically correct seat design allows full contraction and arm extension.
- Ergonomic handle design maximizes tricep isolation.
- Easy access gas assist seat adjustment.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm SH Wt: 480 lb/218 kg




PPS-213



LATERAL RAISE

- Counter-balanced pivot arms provide smooth motion and low starting weight.
- Custom rope handles allow free hand movement and ensure correct exercise application.
- Easy access gas assist seat adjustment.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm SH Wt: 525 lb/238 kg

SELECTORIZED SINGLE STATION




PPS-215



ASSISTED CHIN/DIP

- Counter-balanced knee pad allows you to control the desired weight-assist during exercise and folds away for unassisted exercise.
- Twist-lock narrow or wide dipping handles.
- Multiple chin-up handles and grip positions.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 90 in/229 cm Wt: 715 lb/324 kg




PPS-232



SEATED LEG CURL

- Biomechanically correct angled seat position.
- Adjustable thigh hold-down pad with handles.
- Gas assist back support easily adjusts for proper positioning and knee alignment.
- Self aligning footroll with counter-balanced pivot arm.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)




Ht: 57 in/145 cm Wt: 560 lb/254 kg

SELECTORIZED SINGLE STATION



PPS-231

- Pivot arm with pull-pin release for multiple start position adjustments.
- Gas assist back support easily adjusts for proper positioning and knee alignment.
- Self adjusting footroll to accommodate different leg lengths.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm
Wt: 500 lb/227 kg

LEG EXTENSION

SELECTORIZED SINGLE STATION




PPS-233



PRONE LEG CURL

- V-bench design provides natural support and helps reduce low back strain.
- Adjustable footroll accommodates various size users.
- Built-in side handles for support and control.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm Wt: 475 lb/215 kg




PPS-237



MULTI-HIP FLEXOR

- Gas assist platform elevation adjustment.
- Multiple start positions and counter-balanced pivot arm with fully adjustable roller pad to accommodate user heights.
- Dual handrails provide balance and support.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 58 in/147 cm Wt: 560 lb/254 kg

SELECTORIZED SINGLE STATION




PPS-238



STANDING CALF

- Direct linkage pivot arms ensure true and balanced movement.
- High density pads with contoured shoulder support adjust to accommodate individual height and range of motion.
- Non-slip, aluminum foot platform angled for proper body alignment.
- 400 lbs. steel weight stack.



Ht: 67 in/170 cm Wt: 670 lb/304 kg




PPS-239



GLUTE MACHINE

- Universal pivot movement arm accommodates different leg length.
- Comfortable arm support pads with handles.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)




Ht: 57 in/145 cm Wt: 480 lb/218 kg

SELECTORIZED SINGLE STATION



PPS-220

- Three-point rotation creates ideal arcing motion for the torso while lifting the lower body upward.
- Custom design allows user to begin without any adjustment to seat or movement arms.
- 5-way seat positioning with easy pull-pin adjustment.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 71 in/180 cm
Wt: 600 lb/272 kg

ABDOMINAL CRUNCH

SELECTORIZED SINGLE STATION




PPS-221



BACK EXTENSION

- Adjustable pivot arm with multiple start positions.
- Lumbar support prevents accidental over extension.
- Dual footrest to accommodate various leg lengths.
- Built-in handles for control and support.
- 220 lbs. steel weight stack with add-on weight system.
(Option: 295 lbs. weight stack)



Ht: 57 in/145 cm Wt: 505 lb/229 kg




PPS-222



ROTARY TORSO

- TuffStuff exclusive rotary bench design keeps torso and knees stationary while resistance is applied through the mid section.
- Multiple start positions allow desired angle of rotation.
- Smooth "frictionless" cam system assures consistent resistance throughout entire rotation.
- 220 lbs. steel weight stack with add-on weight system.
(Option: 295 lbs. weight stack)



Ht: 63 in/160 cm Wt: 535 lb/243 kg

SELECTORIZED DUALS



SELECTORIZED DUALS




PPD-801



MULTI-PRESS

- Multi-purpose bench and press bar easily adjust for flat, incline and shoulder presses.
- Multiple grip handles on the press bar allow for variation of exercises and muscle isolation.
- Roller-glide carriage allows easy bench adjustment.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm Wt: 550 lb/249 kg




PPD-802



LAT/MID/LOW ROW

- 3-in-1 design offers independent lat, tricep and low row stations.
- Adjustable thigh hold-down roller pads provide stability and firm support during workouts.
- Rope handle feature provides many triceps exercises independently from the lat station.
- Note: Cable driven unit.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 89 in/226 cm Wt: 470 lb/213 kg

SELECTORIZED DUALS




PPD-803



PEC FLY/REAR DELT

- Adjustable, rotary independent arm with swivel handles allow unilateral and bilateral movements.
- Self-adjusting pivot arms and floating handle design allow uniform and natural hand positioning.
- Easy access gas assist seat adjustment.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 76 in/193 cm Wt: 570 lb/259 kg




PPD-804



BICEPS/TRICEPS

- Counter-balanced pivot arm with multi-grip handle allows overhand and underhand grip positions.
- Ergonomically designed arm pad for proper support and comfort.
- Easy access gas assist seat adjustment.
- 150 lbs. steel weight stack with add-on weight system. (Option: 200 lbs. weight stack)



Ht: 57 in/145 cm Wt: 440 lb/200 kg

SELECTORIZED DUALS




PPD-805



ABDOMINAL/BACK

- Pivot arm with multiple start position adjustments for proper body alignment.
- Unique hydraulic assist foot support with easy access adjustment handle to accommodate various leg lengths.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm Wt: 525 lb/238 kg




PPD-806



LEG EXTENSION/CURL

- Biomechanically correct seat angle provides proper support and isolation of muscle group.
- Gas assist back support easily adjusts for proper positioning and knee alignment.
- Quick release to engage and disengage thigh hold-down support.
- 220 lbs. steel weight stack with add-on weight system. (Option: 295 lbs. weight stack)



Ht: 57 in/145 cm Wt: 585 lb/265 kg

SELECTORIZED DUALS




PPD-807



INNER/OUTER THIGH

- Conveniently located lever adjusts for range of motion and start position for both exercises.
- Forward facing exercise positioning provides privacy.
- Swivel knee pads maintain constant support throughout the range of motion.
- 220 lbs. steel weight stack.
- Does not accept Add-on weight system.



Ht: 57 in/145 cm Wt: 485 lb/220 kg




PPD-830



LEG PRESS/HACK SQUAT

- Large solid aluminum foot plates for exercise variation.
- Dual self-aligning 1-1/2" linear bearing system.
- Back support adjusts to upright or flat for either seated or horizontal positioning.
- 400 lbs. steel weight stack.
- Does not accept Add-on weight system.
- *(Option: 500 lbs. weight stack)*





Ht: 76 in/193 cm Wt: 930 lb/422 kg

FUNCTIONAL TRAINERS

Daniel Hill
Former IFBB Professional
Bodybuilder



FUNCTIONAL TRAINERS




PPMS-245



FUNCTIONAL TRAINER

- Extension arm offers 150° of vertical adjustments and 165° of horizontal adjustments.
- Designed for speed, functional and ballistic training, and is accessible for wheelchairs, rehab equipment, workout benches and stability balls.
- Ball bearing swivel pulleys, increase fluidity and cable response for more effective sport specific training.
- Independent movement for bilateral and unilateral training.
- Hydraulically supported arms for safe and easy adjustments.
- 86-inch cable travel per handle.
- Two (2) 300 lbs. weight stacks. Resistance at handle is 1/4 of the weight selected.



Ht: 86 in/218 cm
Wt: 950 lb/431 kg

FUNCTIONAL TRAINERS




PPMS-240



SINGLE CABLE COLUMN

- 15-position pulley column allows for variety of exercises.
- Designed for speed, functional and ballistic training, and is accessible for wheelchairs, rehab equipment, workout benches and stability balls.
- Available with 1:1/2 weight resistance for fitness facilities, or 1:1/4 weight resistance for rehabilitation and wellness training.
- 150 lbs. weight stack (option 200 lbs.). Resistance loads available in 2.5 lbs. or 5 lbs. increments.*
- Does not accept Add-on weight system.



Ht: 90 in/229 cm
Wt: 380 lb/172 kg

* Must be specified at time of purchase.




PPMS-250



ADJUSTABLE CABLE CROSSOVER



- Dual 15-position pulley columns allow single or dual exercise options.
- Swivel handles provide free and natural movement.
- Full length protective weight shrouds.
- Two (2) 150 lbs. (200 lbs. optional) steel weight stack. Resistance at handle is 1/2 of the weight selected.



Ht: 93 in/236 cm Wt: 695 lb/315 kg

FUNCTIONAL TRAINERS




- Compact size uses less floor space than traditional cable crossovers.
- Independent 15-position pulley columns allow for unilateral and bilateral exercise.
- Swivel cable ends and handles allow natural wrist movements without cable twisting.
- Multi-grip chin-up bar for wide, narrow, reverse and neutral grip upper body exercises.
- 1:1/2 weight resistance offers fluid movement and extended range of motion.
- Wide-base frame designed for functional, speed and ballistic training, is accessible for wheelchairs, rehab equipment, workout benches and stability balls.

PPMS-255



DUAL ADJUSTABLE PULLEY

- Full length steel protective rear weight enclosures.
- (2) 150 lbs. (200 lbs. optional) steel weight stack. 1:1/2 ratio – 50% of the resistance.
- Factory install option to convert the resistance ratio to 1:1/4 – 25% of the resistance.



Ht: 90 in/229 cm
Wt: 690 lb/313 kg

JUNGLE GYM SYSTEMS



PPMS-4000

- Customizable modular system offers the flexibility to choose your exercise stations and positioning to suit your facility.
- Standard with full length protective steel weight shrouds with integrated exercise placards.
- Steel plate corner braces reinforced main frame for maximum structural stability.
- Four (4) 200 lbs. steel weight stacks. (Option: 300 lbs. steel weight stack)


Shown with fixed
Hi/Low Station



4-STATION JUNGLE GYM

System as shown:

- (1) Lat Pulldown
- (1) Low Row
- (1) Tricep Pressdown
- (1) Adjustable Hi/Low



Ht: 90 in/229 cm
Wt: 1520 lb/689 kg



PPMS-9000 9-STATION

System as shown:


- (2) Lat Pulldown
- (2) Low Row
- (1) Tricep Pressdown
- (2) Adjustable Hi/Low
- (1) Fixed Hi/Low
- (1) Pull-up Station

- The ultimate jungle system connecting two PPMS-4000 jungles with the cable crossover option.
- Steel plate corner braces reinforced main frame for maximum structural stability.
- Customizable modular system offers the flexibility to choose your exercise stations and positioning that best suits your facility.
- Solid aluminum pulleys with sealed bearings for smooth friction-free movement.



ATION JUNGLE GYM

- Combination USA-Made/Certified 3/16" and 1/4" EXERFLEX PRO® high performance fitness cable rated at 4200 lbs. tensile strength.
- Durable-welded knurled zinc plated multi-grip pull-up station.
- Standard with full length protective steel weight shrouds with integrated exercise placards.
- Eight (8) 200 lbs. steel weight stacks.
(Option: 300 lbs. steel weight stack)



Ht: 90 in/229 cm Wt: 3120 lb/1415 kg

JUNGLE GYM SYSTEMS



PPMS-5000


- Crossover with built-in durable-welded knurled zinc plated multi-grip pull-up station for variety of upper body exercises.
- Customizable modular system offers the flexibility to choose your exercise stations and positioning that best suits your facility.
- Standard with full length protective steel weight shrouds.
- Swivel handles provide multi-directional, free and natural movements.
- Four (4) 200 lbs. steel weight stacks. (Option: 300 lbs. steel weight stack)



5-STATION JUNGLE GYM

System as shown:

- (1) Lat Pulldown
- (1) Low Row
- (2) Adjustable Hi/Low
- (1) Pull-up Station



Ht: 90 in/229 cm
Wt: 1720 lb/780 kg

JUNGLE GYM SYSTEMS



PPMS-6000


- Combines cable crossover option with 4-station jungle.
- Crossover with built-in durable-welded knurled zinc plated multi-grip pull-up station for variety of upper body exercises.
- Customizable modular system offers the flexibility to choose your exercise stations and positioning that best suits your facility.
- Five (5) 200 lbs. steel weight stacks. *(Option: 300 lbs. steel weight stack)*



6-STATION JUNGLE GYM

System as shown:

- (1) Lat Pulldown
- (1) Low Row
- (1) Tricep Pressdown
- (2) Adjustable Hi/Low
- (1) Pull-up Station



Ht: 90 in/229 cm
Wt: 1940 lb/880 kg

Hidetada Yamagishi
IFBB Professional Bodybuilder



PLATE LOADED




Olympic weight plates not included.

PPL-900



SMITH MACHINE

- Self-aligning linear bearing Smith press system counter-balanced to 10 lbs. starting weight.
- 1500 lbs. load capacity Olympic Smith bar with 47" inside grip width.
- Fully adjustable spring action safety catches.
- Built-in Olympic weight storage.



Ht: 91 in/231 cm Wt: 425 lb/193 kg




Olympic weight plates & spring collars not included.

PPL-905



CHEST PRESS

- Converging press arms mimic natural articulation of shoulder girdle and allow unilateral movement.
- **U-Grip** handle design swivels to maintain neutral wrist position throughout full range of motion.
- Adjustable seat height accommodates most size users.
- Option: Olympic weight storage prongs (set of 4).
- 9-1/2" weight horn.



Ht: 62 in/157 cm Wt: 205 lb/93 kg

PLATE LOADED




Olympic weight plates & spring collars not included.

PPL-910



INCLINE PRESS

- Converging press arms mimic natural articulation of shoulder girdle and allow unilateral movement.
- **U-Grip** handle design swivels to maintain neutral wrist position throughout full range of motion.
- Adjustable seat height accommodates most size users.
- Option: Olympic weight storage prongs (set of 4).
- 9-1/2" weight horn.



Ht: 53 in/135 cm Wt: 175 lb/79 kg




Olympic weight plates & spring collars not included.

PPL-915



SHOULDER PRESS

- Converging press arms mimic natural articulation of shoulder girdle and allow unilateral movement.
- **U-Grip** handle design swivels to maintain neutral wrist position throughout full range of motion.
- Adjustable seat height accommodates most size users.
- Option: Olympic weight storage prongs (set of 4).
- 9-1/2" weight horn.



Ht: 47 in/119 cm Wt: 180 lb/82 kg




Olympic weight plates not included.

PPL-920



BICEPS CURL

- Unilateral arm movement.
- Swivel handles pivot to allow natural wrist movement throughout the full range of motion.
- Adjustable seat height to accommodate various users.
- 8" weight horn.



Ht: 37 in/94 cm Wt: 170 lb/77 kg




Olympic weight plates not included.

PPL-925



SEATED DIP

- Easy access design with adjustable seat and leg hold downs to accommodate most users.
- **U-Grip** handle design allows wrist to remain parallel to floor throughout entire range of motion.
- 1" stainless steel pivot shaft on internally encased 2" industrial roller bearings provides smooth movement.
- 8-1/2" weight horn.



Ht: 42 in/107 cm Wt: 145 lb/66 kg




PPL-930



SEATED ROW

- 360° articulating **U-Grip** handles allow user defined hand positioning.
- Independent pivot arms allow unilateral movement.
- Adjustable seat pad height fits most users.
- Chest support adjusts for various arm lengths.
- 8-1/2" weight horn.



Ht: 39 in/99 cm Wt: 150 lb/68 kg




PPL-935



LAT PULLDOWN

- 360° articulating **U-Grip** handles allow user defined hand positioning.
- Diverging independent arms allow unilateral movements.
- Fully adjustable thigh hold-down support.
- 7-1/2" weight horn.



Ht: 85 in/216 cm Wt: 250 lb/113 kg


PLATE LOADED



Olympic weight plates not included.



- Unique pivoting handle design maintains correct wrist and arm positioning throughout the entire range of motion.
- Bi-level foot supports to accommodate various users.
- Conveniently located dual height bar rests.
- 14-1/2" weight horn.



Ht: 48 in/122 cm Wt: 175 lb/79 kg

PPL-940 INCLINE LEVER ROW




Olympic weight plates not included.

PPL-950

- V-bench design provides natural support and helps reduce low back strain.
- Adjustable footroll to accommodate different leg lengths.
- Side handles offer support and control.
- 9-1/2" weight horn.



PRONE LEG CURL



Ht: 36 in/91 cm
Wt: 180 lb/82 kg

PLATE LOADED




Olympic weight plates not included.

PPL-945



LEG EXTENSION

- Adjustable footroll to accommodate different leg lengths and start positions.
- Ergonomic seat angle design ensures proper body alignment and muscle isolation.
- Adjustable back pad accommodates most users.
- 8-1/2" weight horn.



Ht: 43 in/109 cm Wt: 170 lb/77 kg




Olympic weight plates not included.

PPL-955



SEATED CALF

- Knee hold-down pads adjust for various leg lengths.
- Swivel pivot arm easily engages and disengages.
- Bench seat moves with pivot arm for comfort.
- Non-slip footplates.
- 7" weight horn.



Ht: 35 in/89 cm Wt: 120 lb/54 kg

PLATE LOADED




Olympic weight plates & spring collars not included.

PPL-960



LEG PRESS

- Dual self-aligning 1-1/2" linear bearing system.
- 1-1/2" precision ground tempered solid steel shafts.
- Oversized convex footplate design assures correct ankle and knee positioning throughout full range of motion.
- Dual safety catch and release handles.
- Heavy duty back support with multiple angle adjustments.
- Custom convex press plate design with calf block and bi-level weight holders (starting weight 95 lbs).
- Built-in Olympic weight storage.
- 14-1/2" weight horn and 7-1/2" top weight horn.



Ht: 58 in/147 cm Wt: 555 lb/252 kg

PLATE LOADED




Olympic weight plates not included.

PPL-965



HACK SQUAT

- Dual self-aligning 1-1/2" linear bearing system.
- 1-1/2" precision ground tempered solid steel shafts.
- Oversized convex footplate design provides correct ankle and knee positioning minimizing stress on joints.
- 35° angle of travel with starting weight of 90 lbs.
- Conveniently located dual safety catches and release handles for safe start and end positions.
- Built-in Olympic weight storage.
- 14-1/2" weight horn.



Ht: 58 in/147 cm Wt: 520 lb/236 kg

PLATE LOADED




Olympic weight plates not included.

PPL-970



ABDOMINAL CRUNCH

- Three-point rotation creates ideal arcing motion for the torso while simultaneously lifting the lower body upward.
- Unique design allows user to begin without any adjustment to the seat or movement arms.
- 5-position swivel seat isolates obliques for full core development.
- 9-1/2" weight horn.



Ht: 70 in/178 cm Wt: 260 lb/118 kg

FREE WEIGHT BENCHES & RACKS

Daniel Hill
Former IFBB Professional
Bodybuilder



FREE WEIGHT BENCHES & RACKS

Positions (Low – High)

- 1 – -20° 6 – 45°
- 2 – 0° 7 – 55°
- 3 – 10° 8 – 65°
- 4 – 20° 9 – 80°
- 5 – 35° 10 – 90°



PPF-700 Multi Adjustable Bench

LWH: 68x29x50 in/173x74x127 cm Wt: 105 lb/48 kg

Positions (Low – High)

- 1 – 0°
- 2 – 15°
- 3 – 25°
- 4 – 35°
- 5 – 45°
- 6 – 60°
- 7 – 70°
- 8 – 85°



PPF-SSP

Side Spotter Stands (Option)



PPF-701 Flat/Incline Bench

LWH: 59x25x51 in/150x64x130 cm Wt: 107 lb/49 kg

Positions (Low – High)

- 1 – 35°
- 2 – 45°
- 3 – 55°
- 4 – 65°
- 5 – 75°



PPF-705 Adjustable Incline Bench

LWH: 58x29x50 in/147x74x127 cm Wt: 85 lb/39 kg

PPF-703 Utility Bench

LWH: 33x29x36 in/84x74x91 cm Wt: 60 lb/27 kg



PPF-702 Flat Bench

LWH: 58x25x18 in/147x64x46 cm Wt: 65 lb/29 kg



Olympic bar, weight plates & spring collars not included.



PPF-706 Preacher Curl Bench

LWH: 40x28x43 in/102x71x109 cm Wt: 70 lb/32 kg

FREE WEIGHT BENCHES & RACKS



Olympic bar, weight plates & spring collars not included.

PPF-707 Olympic Flat Bench

LWH: 49x53x50 in/124x135x127 cm Wt: 140 lb/64 kg



Olympic bar, weight plates & spring collars not included.

PPF-708 Olympic Incline Bench

LWH: 71x53x55 in/180x135x140 cm Wt: 175 lb/79 kg



Olympic bar, weight plates & spring collars not included.

PPF-709 Olympic Decline Bench

LWH: 71x53x43 in/180x135x109 cm Wt: 145 lb/66 kg



Olympic bar & weight plates not included.

PPF-710

Olympic Military Bench with Rear Spotter Platform

LWH: 46x53x68 in/117x135x173 cm Wt: 197 lb/89 kg



PPF-WSOB

Weight Storage

Wt: 80 lb/52 kg



PPF-RSPO

Rear Spotter Platform

Wt: 45 lb/20 kg

FREE WEIGHT BENCHES & RACKS



Back Pad Positions (Low - High)

- | | |
|----------|----------|
| 1 - -10° | 7 - 45° |
| 2 - 0° | 8 - 55° |
| 3 - 10° | 9 - 65° |
| 4 - 20° | 10 - 70° |
| 5 - 30° | 11 - 80° |
| 6 - 35° | |

Olympic bar, weight plates & spring collars not included.

PPF-711 4-Way Olympic Bench

- 4-in-1 multi-purpose system with unique adjustable sliding bench provides the ultimate bench press exercises.
- 1-1/2" precision ground tempered solid steel shafts

- Built-in heavy duty spotter platforms.
 - Includes ten (10) Olympic weight storage holders.
- LWH: 89x63x66 in/226x160x168 cm Wt: 385 lb/175 kg

Positions (Low - High)

- | |
|----------|
| 1 - 0° |
| 2 - -10° |
| 3 - -20° |
| 4 - -30° |



PPF-714 Adjustable Decline Bench

LWH: 63x29x48 in/160x74x122 cm Wt: 120 lb/54 kg



PPF-718 Glute-Ham Bench

LWH: 70x34x46 in/178x86x117 cm Wt: 195 lb/88 kg

FREE WEIGHT BENCHES & RACKS



PPF-717 Back Station

LWH: 51x33x41 in/130x84x104 cm Wt: 125 lb/57 kg



Barbells not included.

PPF-753 Barbell Rack

LWH: 27x44x62 in/69x112x157 cm Wt: 190 lb/86 kg



PPF-720 Chin/Dip/Leg Raise

LWH: 55x37x89 in/140x94x226 cm Wt: 245 lb/111 kg



Olympic bar & weight plates not included.

PPF-850 Squat Rack

LWH: 59x65x72 in/150x165x183 cm Wt: 245 lb/111 kg



Olympic bar, weight plates & spring collars not included.

PPF-800

- Free standing double-sided racking system built for safety and variety.
- Dual pull-pin adjustments on the cross-beams bar support (9000 lbs. load strength).
- Large walk-in area for easy access and maneuverability for bench workouts.
- Durable-welded knurled zinc plated multi-grip pull-up station for wide, narrow, reverse and neutral grip upper body exercises.
- Heavy gauge stainless steel bar hooks on the front and back uprights allow user to face in either direction to perform the exercises.



Option:

PPF-ARPR All Rubber 2" Platform with inset.


Platform (LW):
72x90 in/183x229 cm

Inset (LW):
78x51 in/198x130 cm

Wt: 470 lb/213 kg

DELUXE POWER RACK

- Built-in band pegs top & bottom for various band resisted exercises.



Ht: 95 in/241 cm
Wt: 505 lb/229 kg

FREE WEIGHT BENCHES & RACKS



Dumbbells not included.

PPF-752 2-Tier Saddle Dumbbell Rack

LWH: 30x100x29 in/76x254x74 cm Wt: 195 lb/88 kg



Hex Dumbbells not included.

PPF-752T 2-Tier Tray Dumbbell Rack

LWH: 30x84x31 in/76x213x79 cm Wt: 300 lb/136 kg



Olympic bars and weight plates not included.

PPF-758 Olympic Weight Tree

LWH: 27x25x44 in/69x64x112 cm Wt: 80 lb/36 kg



Dumbbells not included.

PPF-754 3-Tier Saddle Dumbbell Rack

LWH: 31x100x44 in/79x254x112 cm Wt: 300 lb/136 kg



Hex Dumbbells not included.

PPF-754T 3-Tier Tray Dumbbell Rack

LWH: 36x84x46 in/91x213x117 cm Wt: 425 lb/193 kg

Tomo Okabe, CSCS
Celebrity Personal Trainer
Tokyo, Japan




TUFFSTUFF FITNESS DELIVERS



CONCEPT

TuffStuff is truly an organization of individuals dedicated to making design improvements that keep pace with technological advances and market place demands. Every design and engineering process begins here, every step of the way to prototypes, testings and refinements.



DESIGN

TuffStuff is one of the earliest pioneers in the research and development of effective and biomechanically correct strength equipment since 1971. Today, TuffStuff owns 18 original patents, and produces over 150 different consumer and commercial strength products.



MANUFACTURING

TuffStuff is a multi-level, integrated and experienced manufacturer that can deliver the final product to exacting specifications, quality and lead-time demands. TuffStuff's ability and willingness to customize and modify products to meet customer's specific needs sets us apart from our competition.



TUFFSTUFF FITNESS INTERNATIONAL

FRAME MATERIALS:

Main frame – 2x4" 11-gauge 120 wall oval tubular steel with a combination of 2" round and other 11-gauge tubular steel.

WELDS:

All welded construction by inert-gas MIG welding conforming with all Structural Welding Code-Steel Standards and Specifications.

PADDING:

High density 1" thick 3 lbs. rebond urethane foam glued to 1" industrial plywood backing, trimmed and formed to exact fit.

CABLES & BELTS:

Cable driven units – USA-Made/Certified 3/16" and 1/4" EXERFLEX PRO® high performance fitness cable rated at 4200 lbs. tensile strength. Belt driven units: reinforced Kevlar® belts, rated at 4400 lbs. tensile strength.

GUIDE RODS:

3/4" solid steel 1045 (tgp) highly polished hard chrome finish.

ADJUSTMENT PINS:

1/2" and 5/8" push-pull spring loaded solid steel adjustment pins with ultimate load of 9040 lbs. and 46042 psi shear strength.

BEARINGS:

1" solid stainless steel pivot axles with non-friction 2" sealed bearings (load rating of 2400 lbs.) internally encased on primary pivots, and oil-impregnated bronze bushings on all secondary pivots.

PULLEYS:

Combination wide groove fiberglass reinforced nylon pulleys on belt-driven system and solid aluminum pulleys on cable units.

CAMS:

Charcoal Texture powder coat solid aluminum variable resistance cam designed specifically for each machine.

FASTENERS:

All frame bolts and nuts are 3/8" and 1/2" blue zinc plated grade 8 and up. Meets ANSI specifications.

CUSTOM STABILIZER FEET:

Heavy-duty molded rubber base feet insure stability, prevent equipment movement, and may be bolted to the floor.

SELECTOR WEIGHT PINS:

Weight pins are solid steel, magnetic with ball-end to ensure a tight connection and secure fit. Coiled lanyard helps prevent pin removal and loss.

WEIGHT STACK:

Black painted solid steel weight plates with self aligning low friction sleeves. Weight upgrades available:

PPO-050 50 lbs. weight stack upgrade.

PPO-075 75 lbs. weight stack upgrade.

PPO-100 100 lbs. weight stack upgrade.

(Not available on all machines).

EXCLUSIVE FEATURES:



Add-on weight system with 5 lbs. and 10 lbs. increments. Standard on most machines.



Easy access gas assist seat adjustment.



OFFICE & MANUFACTURING FACILITY

FINISH:


Eight-step electrostatically applied powder coat finish baked at 400°F and carefully monitored to ensure complete curing.

FRAME COLORS:

Custom two tone finish offers choice of six primary colors combined with Charcoal Texture accents.

- (1) Matte Black (2) Platinum Sparkle (3) Sky White
 (4) Twilight Blue (5) Charcoal Texture (6) Wrinkle Black

Custom colors available – please inquire with your sales representative



UPHOLSTERY:

Premium Bolta Sport vinyl with PreFixx, formulated to resist bacteria, stains, mildew, oil and UV stabilized pigments. Meets most flammability test requirements. All upholsteries are double-stitched with “hidden” borders. Bolta Sport color swatches are available upon request. Custom colors are available – please inquire with your sales representative.

Standard colors:



COMMERCIAL WARRANTY

- 10 YEARS:** Frames, welds, cams and weight plates.
- 5 YEARS:** Pivot bearings, pulleys, bushings, gas shocks and guide rods.
- 1 YEAR:** Belts, linear bearings and pull-pin components.
- ALL OTHER PARTS** not mentioned, one year from the date of delivery to the original purchaser.
- 6 MONTHS:** Upholstery, cables, finish and rubber grips.

NOTICE: TuffStuff continually engages in research related to product improvement. As a result, the product received by the customer may differ slightly from its published description. Improvements in materials, production techniques and design refinement may at any time be introduced into our products. TuffStuff reserves the right to make changes in its product without notice.

IMPORTANT NOTE: Color samples as shown are close representation of the actual vinyl colors, and must not be used for an exact match of the color. Always request for the actual vinyl samples from your dealer or TuffStuff Sales Representatives.

Family of Strength Products



Proformance Plus
Commercial Series



CalGym
Commercial Series



XPT Training System



Pro-XL Sports Performance
Rack Systems



CT Fitness Training System



Youth Fitness Series



Apollo 7000 Series



Evolution Strength Series



TUFFSTUFF FITNESS INTERNATIONAL INC.

13971 Norton Avenue, Chino, CA 91710, USA. PH: 909-629-1600 FX: 909-629-4967

info@tuffstuff.net www.tuffstufffitness.com

USA MADE